

Local Worker Hiring Performance by PLA Covered Active Project - March 31, 2025

| Total % Local Workers Key | | |
|---------------------------|---------------------------|--|
| Green | Meets or exceeds 35% goal | |
| Yellow | Within 5% of 35% goal | |
| Red | Not meeting 35% goal | |

| Rank | Campus | Project Name | Prime Contractor | Project Number | Contract Number | Local Workers % | Total # of Workers on Campus | Veterans | | | Local to College | | | | | Local to District | | | | Local to LA County | | Local to LA County + OC | | | |
|------|--------------------------|---|---|----------------|------------------|-----------------|------------------------------|---------------------|---------------------|--------------|------------------|---------------------------|------------|-----------------------|----------------|-------------------|---------------|---------------------------|------------|-----------------------|-----------------|-------------------------|--------------------|--------------------|--------------------|
| | | | | | | | | Total # of Veterans | Total % of Veterans | # of Workers | # of Veterans | # of Transitional Workers | Veterans % | Transitional Worker % | Local Worker % | # of Workers | # of Veterans | # of Transitional Workers | Veterans % | Transitional Worker % | Local Workers % | Total # of Workers | % of Project Total | Total # of Workers | % of Project Total |
| 1 | West Los Angeles College | West LA College - IT, Security and Sustainability Infrastructure | Reyes Electrical Contractor, Inc. dba Reyes Engineering Corp. | 35% | 1531-02W2 | 98.0% | 9 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 8 | 0 | 1 | 0.00% | 11.11% | 98.0% | 9 | 100.00% | 9 | 100.00% |
| 2 | East Los Angeles College | East - Southwest Campus Swing Space | Omega Construction Co. Inc. | 35% | 1884-08E4 | 79.0% | 38 | 0 | 0.00% | 8 | 0 | 0 | 0.00% | 0.00% | 21.00% | 30 | 0 | 0 | 0.00% | 0.00% | 79.0% | 38 | 94.54% | 37 | 97.37% |
| 3 | Los Angeles Trade Tech | Trade - Barber Renovation - Signage | Anson Group | 35% | 1841-03T3 | 61.1% | 18 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 11.11% | 11 | 0 | 0 | 0.00% | 5.50% | 61.1% | 11 | 61.11% | 17 | 94.4% |
| 4 | West Los Angeles College | West LA College - TN - Athletic Building C-1 | Reyes Electrical Contractor, Inc. dba Reyes Engineering Corp. | 35% | 1531-08W2 | 99.2% | 54 | 0 | 0.00% | 3 | 0 | 0 | 0.00% | 0.00% | 5.50% | 32 | 0 | 3 | 0.00% | 5.50% | 99.2% | 43 | 79.63% | 44 | 81.48% |
| 5 | City College | City - Chemistry Shop Space Fire Lane | GMZ Engineering, Inc. | 35% | LACD-1823-01-00 | 90.2% | 35 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 3.64% | 31 | 0 | 4 | 0.00% | 7.27% | 90.2% | 41 | 74.07% | 41 | 74.07% |
| 6 | West Los Angeles College | West LA College - TN - Freshman Drive Path of Travel | Reyes Electrical Contractor, Inc. dba Reyes Engineering Corp. | 35% | 1531-08W2 | 94.9% | 104 | 0 | 0.00% | 7 | 0 | 0 | 0.00% | 0.00% | 6.73% | 57 | 0 | 3 | 0.00% | 2.88% | 94.9% | 97 | 92.27% | 98 | 94.23% |
| 7 | Pierce College | Pierce College - 161 Campus Wide Improvements - Arts Complex, Stadium, Atrium, Restrooms, and Arrival of Changeways | Anson Group | 35% | 34075 | 55.0% | 209 | 0 | 0.00% | 17 | 0 | 0 | 0.00% | 0.00% | 8.13% | 112 | 0 | 4 | 0.00% | 1.91% | 55.0% | 177 | 84.00% | 184 | 88.04% |
| 8 | Southwest College | Southwest College - Campus Wide Water Upgrades | GMZ Engineering, Inc. | 35% | 1442-18S2 | 53.3% | 30 | 0 | 0.00% | 1 | 0 | 0 | 0.00% | 0.00% | -3.33% | 16 | 0 | 8 | 0.00% | 26.67% | 53.3% | 22 | 73.33% | 24 | 80.0% |
| 9 | West Los Angeles College | West - TN - Physical Education Complex - Bleacher Replacement | TIS, Inc. | 35% | 1423-01W4 | 53.3% | 30 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 16 | 0 | 0 | 0.00% | 0.00% | 53.3% | 24 | 80.00% | 25 | 83.33% |
| 10 | West Los Angeles College | West LA College - TN - Parking Lot 3 | Reyes Electrical Contractor, Inc. dba Reyes Engineering Corp. | 35% | 1531-08W2 | 50.0% | 55 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 28 | 0 | 2 | 0.00% | 3.64% | 50.0% | 46 | 83.64% | 49 | 89.09% |
| 11 | Pierce College | Pierce College - Fire Alarm System Upgrade for Bldg 1200-063 & Fire Alarm & HRAE System Upgrade for Bldg 1500-000 | Wood Wide Construction | 35% | 1453-19P2 | 99.7% | 89 | 0 | 0.00% | 8 | 0 | 0 | 0.00% | 0.00% | 8.70% | 35 | 0 | 0 | 0.00% | 0.00% | 99.7% | 56 | 62.36% | 58 | 65.06% |
| 12 | Los Angeles Trade Tech | Trade - Misc Improvements - BI School of Advanced Trade & MFG - Water Leak Repair | Anson Construction Development Inc. | 35% | 1522-08T3 | 50.0% | 34 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 5.88% | 17 | 0 | 0 | 0.00% | 0.00% | 50.0% | 25 | 73.53% | 30 | 88.24% |
| 13 | West Los Angeles College | West LA College - Fire Arts Building Renovation Project | Masters Contracting Corp. | 35% | 34124 | 68.1% | 183 | 0 | 0.00% | 5 | 0 | 0 | 0.00% | 0.00% | 2.73% | 90 | 0 | 3 | 0.00% | 1.64% | 68.1% | 158 | 86.34% | 163 | 89.07% |
| 14 | West Los Angeles College | West - Soccer Field Storm Water Implementation | GMZ Engineering, Inc. | 35% | 1442-09a3 | 68.0% | 45 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 4.44% | 22 | 0 | 2 | 0.00% | 4.44% | 68.0% | 34 | 75.56% | 35 | 77.78% |
| 15 | Pierce College | Pierce College - Demolition of Old Library Building 1800 | Iron West, Inc. | 35% | 34089 | 68.7% | 248 | 0 | 0.00% | 20 | 0 | 1 | 0.00% | 0.40% | 8.06% | 121 | 0 | 7 | 0.00% | 2.82% | 68.7% | 200 | 80.86% | 212 | 85.48% |
| 16 | Pierce College | Pierce College - BLS Center for the Sciences Technology Upgrades | Masters Contracting Corp. | 35% | 1528 | 68.0% | 114 | 0 | 0.00% | 6 | 0 | 0 | 0.00% | 0.00% | 5.26% | 55 | 0 | 5 | 0.00% | 4.30% | 68.0% | 87 | 75.32% | 90 | 78.0% |
| 17 | Los Angeles Trade Tech | Trade - Theater Demolition, New Exterior North Wall - Magnolia Hall, and Mechanical Airlocks - North Side of Magnolia Hall Projects | Sevation Builders | 35% | 34223 | 68.0% | 96 | 0 | 0.00% | 8 | 0 | 0 | 0.00% | 0.00% | 8.33% | 45 | 0 | 0 | 0.00% | 0.00% | 68.0% | 71 | 73.96% | 79 | 82.29% |
| 18 | West Los Angeles College | West LA College - TN - Physical Education Complex | Reyes Electrical Contractor, Inc. dba Reyes Engineering Corp. | 35% | 1531-03W2 | 60.1% | 93 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 2.10% | 42 | 0 | 3 | 0.00% | 3.23% | 60.1% | 67 | 72.04% | 68 | 73.12% |
| 19 | East Los Angeles College | East - Corporate Center - Floors 1-5 | MK Construction, Inc. | 35% | 1665-002-00 | 64.0% | 25 | 0 | 0.00% | 4 | 0 | 0 | 0.00% | 0.00% | 16.00% | 11 | 0 | 0 | 0.00% | 0.00% | 64.0% | 23 | 92.00% | 24 | 96.0% |
| 20 | West Los Angeles College | West - Baseball Field - Storm Water Implementation Project | GMZ Engineering, Inc. | 35% | 1442-06W3 | 63.7% | 32 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 14 | 0 | 4 | 0.00% | 12.00% | 63.7% | 25 | 78.12% | 26 | 81.25% |
| 21 | West Los Angeles College | West - Parking Lot 5 - Storm Water Implementation Project | GMZ Engineering, Inc. | 35% | 1442-07W3 | 63.0% | 87 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 2.30% | 36 | 0 | 4 | 0.00% | 4.60% | 63.0% | 56 | 64.37% | 60 | 69.0% |
| 22 | City College | City - Storm Water Control Quat & Central Quat Improvements | GMZ Engineering, Inc. | 35% | 34236 | 62.0% | 35 | 0 | 0.00% | 1 | 0 | 1 | 0.00% | 2.86% | 2.86% | 15 | 0 | 7 | 0.00% | 20.00% | 62.0% | 23 | 65.71% | 27 | 77.14% |
| 23 | West Los Angeles College | West LA College - Math and Science Building A Partial Renovation | PCNS, Inc. | 35% | 1505-11W2 | 62.0% | 131 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 1.53% | 56 | 0 | 0 | 0.00% | 0.00% | 62.0% | 90 | 68.70% | 93 | 73.98% |
| 24 | Harbor College | Harbor - Energy Efficiency/Utility Infrastructure Tunnel Repairs | GMZ Engineering, Inc. | 35% | 1442-03H4 | 62.1% | 19 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 8 | 0 | 0 | 0.00% | 0.00% | 62.1% | 18 | 94.74% | 18 | 94.74% |
| 25 | Los Angeles Trade Tech | Trade - Design and Media Arts and Sage Hall Demolition Projects | Sevation Builders | 35% | 34222 | 61.43% | 140 | 0 | 0.00% | 11 | 0 | 0 | 0.00% | 0.00% | 7.86% | 56 | 0 | 1 | 0.00% | 0.71% | 61.43% | 107 | 76.42% | 114 | 81.43% |
| 26 | Pierce College | Pierce College - SLE-02M Classroom Modernization & ADA Improvements | Iron West, Inc. | 35% | 34082 | 60.8% | 424 | 1 | 0.24% | 27 | 0 | 0 | 0.00% | 0.00% | 6.37% | 173 | 1 | 2 | 0.24% | 0.47% | 60.8% | 283 | 67.22% | 313 | 73.82% |
| 27 | East Los Angeles College | East - Knowledge, Wellness and Athletic Center (KWAC) | McCarthy Building Companies, Inc. | 35% | 34291 | 60.0% | 10 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 20.00% | 4 | 0 | 0 | 0.00% | 0.00% | 60.0% | 7 | 70.0% | 7 | 70.0% |
| 28 | Southwest College | Southwest College - Merge | GMZ Engineering, Inc. | 35% | 1442-01S1 | 59.4% | 152 | 1 | 0.66% | 11 | 0 | 0 | 0.00% | 0.00% | 7.24% | 60 | 1 | 10 | 0.66% | 6.58% | 59.4% | 97 | 63.82% | 102 | 67.11% |
| 29 | East Los Angeles College | East - Nursing, Allied Health and Public Service Building | Sevation Builders | 35% | 34072 | 59.3% | 66 | 0 | 0.00% | 4 | 0 | 0 | 0.00% | 0.00% | 6.06% | 26 | 0 | 0 | 0.00% | 0.00% | 59.3% | 42 | 63.64% | 52 | 78.79% |
| 30 | Pierce College | Pierce - Academic West Building | Charles Pankow Builders | 35% | 34096 | 58.1% | 252 | 0 | 0.00% | 15 | 0 | 0 | 0.00% | 0.00% | 5.95% | 96 | 0 | 0 | 0.00% | 0.00% | 58.1% | 175 | 69.4% | 188 | 74.60% |
| 31 | West Los Angeles College | West LA College - Student Services Building Partial Renovation | Masters Contracting Corp. | 35% | 1528-14W2 | 57.0% | 137 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 59 | 0 | 3 | 0.00% | 1.91% | 57.0% | 116 | 73.00% | 125 | 79.62% |
| 32 | Pierce College | Pierce College - Academic East Building | McCarthy Building Companies, Inc. | 35% | 34083 | 57.0% | 224 | 0 | 0.00% | 19 | 0 | 0 | 0.00% | 0.00% | 4.62% | 120 | 0 | 0 | 0.00% | 0.00% | 57.0% | 189 | 58.32% | 202 | 71.62% |
| 33 | East Los Angeles College | East - East Orange Area Storm Water Implementation | GMZ Engineering, Inc. | 35% | 1442-02E3 | 56.3% | 108 | 0 | 0.00% | 24 | 0 | 4 | 0.00% | 2.30% | 14.29% | 61 | 0 | 9 | 0.00% | 3.38% | 56.3% | 103 | 61.91% | 107 | 70.6% |
| 34 | Harbor College | Harbor - Energy Efficiency/Utility Infrastructure Repairs | GMZ Engineering, Inc. | 35% | LANC-1823-001-00 | 54.0% | 44 | 0 | 0.00% | 1 | 0 | 1 | 0.00% | 2.27% | 2.27% | 15 | 0 | 4 | 0.00% | 9.09% | 54.0% | 28 | 63.64% | 33 | 75.0% |
| 35 | Valley College | Valley College - Academic Complex, Phase 1 | Charles Pankow Builders | 35% | 34082 | 53.0% | 1,208 | 2 | 0.17% | 35 | 0 | 0 | 0.00% | 0.00% | 2.85% | 400 | 2 | 9 | 0.17% | 0.74% | 53.0% | 765 | 63.28% | 860 | 71.62% |
| 36 | Pierce College | Pierce College - Agricultural Education Center | Rudolph & Siffert, Incorporated | 35% | 34039 | 52.0% | 850 | 2 | 0.24% | 38 | 0 | 0 | 0.00% | 0.00% | 4.48% | 270 | 2 | 11 | 0.24% | 1.33% | 52.0% | 488 | 57.3% | 595 | 69.88% |

Local Worker Hiring Performance by PLA Covered Active Project - March 31, 2025

| Total % Local Workers Key | | |
|---------------------------|--------------------------|--|
| Green | Met or exceeded 35% goal | |
| Yellow | Within 5% of 35% goal | |
| Red | Not meeting 35% goal | |

| ID | College | Project Name | Contractor | PLA % | PLA # | 35% Goal | Local Workers | Local % | Local % Diff | Local % Goal | Local % Diff | Local % Goal | Local % Diff | Local % Goal | Local % Diff | Local % Goal | Local % Diff | Local % Goal | Local % Diff | | | | | | | |
|----------------------------|--------------------------|---|--|-------|-------------|----------|---------------|---------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------|--------|-------|--------|-------|--------|--|
| 37 | Valley College | Valley - Academic Building #2 | PCL Construction Service, Inc. | 35% | 34207 | 31,82% | 338 | 0 | 0.00% | 13 | 0 | 0 | 0.00% | 0.00% | 4.65% | 194 | 0 | 0 | 0.00% | 0.00% | 31.82% | 206 | 63.16% | 230 | 72.33% | |
| 38 | Southwest College | Southwest College - Student Union | W.E. O'Neil Construction Co. of California | 35% | 34049 | 31,89% | 991 | 4 | 0.40% | 47 | 0 | 0 | 0.00% | 0.00% | 4.74% | 316 | 4 | 6 | 0.40% | 0.81% | 31.89% | 633 | 63.87% | 730 | 74.17% | |
| 39 | Pierce College | Pierce - Child Development Academic Facility | Suffolk Construction Company, Inc. | 35% | 34094 | 30,38% | 372 | 5 | 1.34% | 17 | 0 | 0 | 0.00% | 0.00% | 4.97% | 113 | 5 | 2 | 1.34% | 0.94% | 30.38% | 200 | 56.16% | 264 | 68.28% | |
| 40 | City College | City - Health Fitness PE Building-DSA Certification - JOC | GMZ Engineering, Inc. | 35% | 1802-0396J | 30,00% | 10 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 3 | 0 | 2 | 0.00% | 20.00% | 30.00% | 3 | 30.00% | 3 | 30.00% | |
| 41 | Valley College | Valley - Academic and Cultural Center (Completion) Project | S.J. Amore Construction Co., Inc. | 35% | 34237 | 29,34% | 277 | 0 | 0.00% | 3 | 0 | 0 | 0.00% | 0.00% | 1.81% | 81 | 0 | 1 | 0.00% | 0.38% | 29.34% | 187 | 67.51% | 277 | 74.72% | |
| 42 | East Los Angeles College | East LA College - South Gate Educational Center Project - Berenda | Berenda Bros., Inc. - BEST CONTRACTOR 3 | 35% | 34126 | 28,13% | 675 | 3 | 0.44% | 65 | 0 | 2 | 0.00% | 0.30% | 9.63% | 197 | 3 | 14 | 0.44% | 2.07% | 28.13% | 363 | 56.74% | 465 | 66.69% | |
| 43 | Harbor College | Harbor - Southeast Hall | W.E. O'Neil Construction Co. of California | 35% | 34059 | 27,03% | 1,024 | 9 | 0.88% | 68 | 1 | 0 | 0.10% | 0.00% | 6.45% | 277 | 9 | 1 | 0.88% | 0.10% | 27.03% | 562 | 56.94% | 707 | 66.04% | |
| 44 | Southwest College | Southwest - SW1 - Electrical & Football Bleachers | Royce Construction | 35% | 34170 | 25,89% | 74 | 1 | 1.35% | 2 | 0 | 0 | 0.00% | 0.00% | 2.70% | 19 | 1 | 0 | 1.35% | 0.00% | 25.89% | 39 | 52.70% | 47 | 63.51% | |
| 45 | Los Angeles Trade Tech | Trade - Barrier Removal - Elevation | Avcon Construction Development, Inc. | 35% | 1522-0173 | 25,00% | 0 | 0 | 0.00% | 1 | 0 | 0 | 0.00% | 0.00% | 12.00% | 2 | 0 | 0 | 0.00% | 0.00% | 25.00% | 6 | 75.00% | 8 | 75.00% | |
| 46 | City College | City - Student Union Cafeteria Building | PCL Construction Service, Inc. | 35% | 34217 | 21,77% | 124 | 0 | 0.00% | 2 | 0 | 0 | 0.00% | 0.00% | 1.61% | 27 | 0 | 0 | 0.00% | 0.00% | 21.77% | 70 | 56.40% | 82 | 66.13% | |
| 47 | East Los Angeles College | East - Equipment Expansion for Central Plant | ACCO Engineered Systems | 35% | 34081 | 20,00% | 0 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 1 | 0 | 0 | 0.00% | 0.00% | 20.00% | 2 | 40.00% | 3 | 60.00% | |
| 48 | Southwest College | Southwest - SW1 - East Campus, MBO, Elevator Areas | Royce Construction | 35% | 34162 | 14,81% | 81 | 1 | 1.23% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 12 | 1 | 0 | 1.23% | 0.00% | 14.81% | 38 | 46.91% | 47 | 58.02% | |
| 49 | Los Angeles Trade Tech | Trade - Construction Technology Building (34213) | Hager Construction | 35% | 34213 | 12,00% | 8 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 1 | 0 | 0 | 0.00% | 0.00% | 12.00% | 4 | 50.00% | 6 | 75.00% | |
| 50 | Southwest College | Southwest College - Central Plant Improvements Phase 2 (Boilers) | ACCO Engineered Systems | 35% | 1679-002-00 | 0,00% | 1 | 0 | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0 | 0 | 0.00% | 0.00% | 0.00% | 0 | 0.00% | 0 | 0.00% | |
| Project Grand Total | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | 35.60% | 6,565 | 29 | 0.30% | 603 | 1 | 9 | 0.01% | 0.00% | 5.24% | 3,405 | 29 | 136 | 0.30% | 1.42% | 35.60% | 6,180 | 64.66% | 7,038 | 73.56% | |